



meter, and that the meter tested accurately.<sup>3</sup> On November 18, 2019, Bent Tree filed a reply to Kentucky-American's response and argued that there were many questions that remain unanswered, and thus, Bent Tree should be allowed to issue its discovery in order to determine the reason behind the unusually high consumption rates associated with the Kirklevington meter between July 2017 and May 2018.<sup>4</sup>

Having reviewed the evidentiary record and being otherwise sufficiently advised, the Commission finds that due to the fact that the Commission is still in the process of issuing discovery to the parties in order to fully develop the record to resolve the Complaint, there is good cause to grant Bent Tree's motion. Thus, Bent Tree is granted leave to issue the discovery requests to Kentucky-American, which are attached to its motion.

It is HEREBY ORDERED that Bent Tree's motion for leave to file requests for information to Kentucky-American is granted.

---

<sup>3</sup> *Id.*

<sup>4</sup> Bent Tree's Reply at 4.

By the Commission

ENTERED  
MAR 06 2020  
KENTUCKY PUBLIC  
SERVICE COMMISSION

ATTEST:

  
\_\_\_\_\_  
Executive Director

\*Dennis G Howard II  
Howard Law PLLC  
740 Emmett Creek Lane  
Lexington, KENTUCKY 40515

\*Kentucky-American Water Company  
2300 Richmond Road  
Lexington, KY 40502

\*Kentucky-American Water Company  
Kentucky-American Water Company  
2300 Richmond Road  
Lexington, KY 40502

\*Honorable Lindsey W Ingram, III  
Attorney at Law  
STOLL KEENON OGDEN PLLC  
300 West Vine Street  
Suite 2100  
Lexington, KENTUCKY 40507-1801